

**GUBI CHAIR COLLECTION** 

# GUBI 1F CHAIR UNUPHOLSTERED // CENTER BASE, NON-STACKABLE

#### Designed by Komplot Design







ltem no.: 21001-1F-01 + style code

# DESCRIPTION

The GUBI Chair Collection is a chair series in laminated moulded 3-D veneer or in the injection moulded HiRek material. The shell is 5 mm thick. Both types of the shells can be delivered upholstered, with front upholstered or fully upholstered in fabric or leather. The base is available in steel, in different finishes as specified below and moulded wood in various finishes. Several of the chair versions are stackable. The GUBI Chair series includes a side chair with and without arms, a bar stool, a lounge chair and a table series in 3 different heights.

# VERSION - HIREK (PP PLASTIC MATERIAL)

#### RAL codes are indicative.

- Black // RAL 9005, silkmatt /
- Venetian Gold // RAL 080 7050 , silkmatt /
- Mistletoe Green // RAL 130 5010, silkmatt /
- Nightfall Blue // RAL 200 7005, silkmatt /
- Rainy Gray // RAL 7031, silkmatt /
- White Cloud // RAL 9001, silkmatt / - Moon Gray // RAL 085 7010, silkmatt /
- Shy Cherry // RAL 3011, silkmatt /

- Black painted base // RAL 9005, gloss level 10-15 - Chrome base // Mirror chrome

# CHAIR VERSION

Order item - look for part number in the pricelist.

The series consists of the following:

GUBI 1F, GUBI 12F, GUBI 13F

# FACTS

MEASUREMENT - *L X W X H MM* Sitting height: 450 mm Seat width: 493 mm Seat depth: 544 mm Seat height: 483 mm Back height: 473 mm Frame width: 576 mm Frame depth: 499 mm Chair heigth: 830 mm Shell thickness: 5 mm Frame thickness: Ø11 mm

WEIGHT ITEM 4,95 kg

PACKAGING TYPE Cardboard box

PACKAGING MEASUREMENT - *L X W X H CM* L:59 X W:55 X H:84 CM

- WEIGHT PACKAGING MATERIAL TYPE
- Delivery note: 5 g
- Cardboard box, FEFCO quality EB85BB: 2192 g
- Cardboard extra bottom: 408 g
   Polybag PE: 200 g
- LD-EPE foam protector: 100 g
- Strapping: 10 g

WEIGHT PACKAGING - *TOTAL* 2,9 kg

NUMBER OF PARCELS 1 pcs.


- Defective frame and shells can be replaced.

# **GUBI**<sup>®</sup>

# ACCESSORIES

FELT GLIDERS FOR HARD FLOOR AVAILABLE ON REQUEST.

LINKING DEVICE, CHAIR SUSPENSION FOR TABLES.



# CLEANING AND MAINTENANCE

For dusting and light cleaning of the plastic surface and frame use a soft, dry cloth. For further cleaning, use a soft cloth that is firmly wrung in clean water for gently wiping the surface, and then immediately use a dry cloth to wipe the surface again. If more thorough cleaning is necessary, use a mild detergent or washing-up liquid dissolved in water on a firmly wrung cloth. Afterwards, repeat the process with clean water as described above. Polish with a soft cloth after wiping.

Do not use materials for maintenance that:

Contain abrasive agents.

• Are basic, acidiferous or organic.

For the best maintenance of the product, protect it against sunlight and heat, and try to keep it away from moisture, grease and other dirt.

Furthermore, protect the surfaces against sharp objects and other that might scratch.

### ENVIRONMENT

Parts can be separated and sorted for recycling.

Disposal of plastic type PP may be done with incineration of waste.

TESTS

CERTIFICATION AND LABELS



#### GUBI 1F CHAIR UNUPHOLSTERED // CENTER BASE, NON-STACKABLE

Designed by Komplot Design

#### PRODUCT



COLOURS



**GUBI CHAIR COLLECTION** 



Item no.: 21001-1F-01 + style code

#### DESCRIPTION

The GUBI Chair Collection is a chair series in laminated moulded 3-D veneer or in the injection moulded HiRek material. The shell is 5 mm thick. Both types of the shells can be delivered upholstered, with front upholstered or fully upholstered in fabric or leather. The base is available in steel, in different finishes as specified below and moulded wood in various finishes. Several of the chair versions are stackable. The GUBI Chair series includes a side chair with and without arms, a bar stool, a lounge chair and a table series in 3 different heights.

#### **VERSION - VENEER**

- Blackstained beech / Chrome base // Gloss level 20-30 / -

- Oak / Chrome base // Gloss level 20-30 / -

- American Walnut / Chrome base // Gloss level 20-30 / -
- Blackstained beech / Black painted base // Gloss level 20-30 / RAL 9005, gloss level 10-15
- Oak / Black painted base // Gloss level 20-30 / RAL 9005, gloss level 10-15
- American Walnut / Black painted base // Gloss level 20-30 / RAL 9005, gloss level 10-15

#### CHAIR VERSION

Order item - look for part number in the pricelist.

The series consists of the following:

GUBI 1F, GUBI 12F, GUBI 13F

#### FACTS

MEASUREMENT - L X W X H MM Sitting height: 450 mm Seat width: 493 mm Seat height: 477 mm Back height: 477 mm Back height: 373 mm Frame width: 514 mm Frame depth: 489 mm Chair height: 830 mm Shell thickness: 5 mm Frame thickness: 611 mm

WEIGHT ITEM 6,700 kg

PACKAGING TYPE Cardboard box

PACKAGING MEASUREMENT - *L X W X H CM* L:59 X W:55 X H:84 CM

WEIGHT PACKAGING - MATERIAL TYPE - Delivery note: 5 g

- Cardboard box, FEFCO quality EB85BB: 2192 g

# GUBI®

#### ACCESSORIES

FELT GLIDERS FOR HARD FLOOR AVAILABLE ON REQUEST.

#### LINKING DEVICE, CHAIR SUSPENSION FOR TABLES.



#### CLEANING AND MAINTENANCE

For dusting and light cleaning of the wooden surface and frame use a soft, dry cloth.

For further cleaning, use a soft cloth that is firmly wrung in clean water for gently wiping the surface, and

then immediately use a dry cloth to wipe the surface again. If more thorough cleaning is necessary, use a mild detergent or washing-up liquid dissolved in water on a firmly wrung cloth. Afterwards, repeat the process with clean water as described above.

Polish with a soft cloth after wiping.

Do not use materials for maintenance that:

Contain abrasive agents.
Are basic, acidiferous or organic.

For the best maintenance of the product, protect it against sunlight and heat, and try to keep it away from moisture, grease and other dirt.

Furthermore, protect the surfaces against sharp objects and other that might scratch.

#### ENVIRONMENT

Parts can be separated and sorted for recycling.

TESTS

CERTIFICATION AND LABELS

- Cardboard extra bottom: 408 g - Polybag PE: 200 g

- LD-EPE foam protector: 100 g - Strapping: 10 g

WEIGHT PACKAGING - TOTAL 9,615 kg

NUMBER OF PARCELS 1 pcs.

- Defective frame and shells can be replaced.