

PAO GLASS TABLE LAMP

PRODUCT FACT SHEET



PAO GLASS TABLE LAMP


DESIGN BY NAOTO FUKASAWA, 2020

The Pao collection of lamps is an exciting collaboration with established Japanese designer Naoto Fukasawa. Named after the soft, glowing shape of traditional Mongolian Pao tents illuminated at night-time, Fukasawa set out to encapsulate the same atmospheric warmth and friendliness in the Pao Table Lamp. Pao draws on Fukasawa's aesthetic of beautiful simplicity; creating an everyday object that draws on design values existing in the natural world. By keeping the aesthetics modest and simple, he brings the design into harmony with its environment, reinforcing his primary intention of making the atmosphere pleasant and comfortable. In the Pao Table Lamp, Naoto Fukasawa has developed a way of concealing the custom LED light source from view, keeping it nestled inside the shade to give the lamp a clean, unbroken visual identity. Both base and shade are made in opal glass, offering a functionality and deliberate simplicity of design that make them suitable for a wide range of spaces and uses in domestic and corporate environments.

HIGHLIGHTS

- Part of a progressive and technologically advanced lighting collection.
- The collection includes a portable lamp, as well as pendants, table and floor lamps in different sizes in high-gloss steel or glass.
- A freestanding table lamp with a clean, unbroken visual identity.
- CE approved.
- Integrated LED light source ensuring a life span of at least 25,000 hours of use. with inline step dimmer.
- The fitting can be used in conjunction with a number of standard wall mounted dimming control units.
- The lamp is suitable for both private and office environments.
- Qualified for contract use.

DIMENSIONS



DIAMETER 35 CM
HEIGHT 30,5 CM

MATERIALS

SHADE & BASE

Mouth blown opalescent high gloss glass.

LIGHT ENGINE

Polished aluminum hardware and mounting bracket with matte opal glass diffuser.

CORD

Black silicone cable with inline dimmer switch.

COLOUR & FINISH



WHITE OPAL
GLASS

Please note that the cord is black.

TECHNICAL SPECIFICATIONS


LIGHT SOURCE	DIMMABLE	POWER SUPPLY	IP	CORD LENGTH	SWITCH
Integrated LED, 11W, 700lm, 2600K warm white	Yes	220-240V AC at 50/60Hz	20	200 cm	Inline step dimmer

TEST SPECIFICATION OUTPUTS*

FLUX (LUMENS)	CCT (KELVIN)	CRI (1-100)
700lm	2600K, warm white	80

*Photometrics and the test specification shown is taken using the integrated LED bulb fitted in the production luminaire.

PHOTOMETRICS



CERTIFICATES

CE APPROVED

This product has been assessed and complies with the essential requirements of the relevant European directives.



Tested according to the following European EN / IEC standards which relate specifically to electrical lighting products including:

- EN 55015:2013 (radio disturbance)
- EN 61547:2009 (EMC immunity)
- EN 61000-3-2:2014 (EMC compatibility)
- EN 61000-3-3:2013 (EMC compatibility)
- EN 60598-2-4:1997 (portable luminaires)
- EN 60598-1:2015 (general requirements)
- EN 62493:2010 (human exposure to EMC)

COUNTRY OF ORIGIN

China

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Digital Library at hay.com.

[LINK TO DIGITAL LIBRARY](#)