PRODUCT DATA SHEET PRODUCT CODE: 1253W10A

# **Pirce Ceiling LED white 2700K**



### **DESIGN BY**


Giuseppe Maurizio Scutellà

## **DESCRIPTION**

Opening out of a slim disk are fluttering spirals, which fall gently downwards, creating magical effects of form and light.

# **TECHNICAL DRAWINGS**

Dimmerable: + 10-



H	ŁA I	URES	
Т			

Article Code:	1253W10A	Material:	Aluminum
Colour:	White	Series:	Design
Installation:	Ceiling	Area contract:	Residential
Environment:	Indoor	Emission:	Indirect

### **DIMENSIONS**

 Width:
 cm 97
 Glow Wire Test:
 650

 Height:
 cm 44

# **INCLUDED SOURCES**

 Category:
 LED
 Color temperature (K):
 2700 K

 Number:
 1
 Color Tolerance:
 MacAdam 2SDCM

 Watt:
 44W
 CRI:
 90

Delivered lumens output (lm):3955lm Type: 0 Class: A

## **LUMINAIRE**

 Watt:
 44W
 Delivered lumens output (lm):3097lm

 Voltage:
 220V-240V
 CCT: 2700K

 Efficiency:
 82%

Efficacy: 82%
Efficacy: 70.39lm/W
CRI: 90
Dimmable Typology: Push

### **Notes**

PRODUCT DATA SHEET PRODUCT CODE: 1253110A

# **Pirce Ceiling LED white 3000K**



IP20 🖺 🐒 🔻 🚱 Dimmerable: + 🕦 –


### **DESIGN BY**

Giuseppe Maurizio Scutellà

## **DESCRIPTION**

Opening out of a slim disk are fluttering spirals, which fall gently downwards, creating magical effects of form and light.

# **TECHNICAL DRAWINGS**



### **FEATURES**

Article Code:	1253110A	Material:	Aluminum
Colour:	White	Series:	Design
Installation:	Ceiling	Area contract:	Residential
Environment:	Indoor	Emission:	Indirect

## **DIMENSIONS**

 Width:
 cm 97
 Glow Wire Test:
 650

 Height:
 cm 44

# **INCLUDED SOURCES**

 Category:
 LED
 Color temperature (K):
 3000 K

 Number:
 1
 Color Tolerance:
 MacAdam 2SDCM

 Watt:
 44W
 CRI:
 90

**Delivered lumens output (Im):**4230Im **Type:** 0 **Class:** A

## **LUMINAIRE**

 Watt:
 44W
 Delivered lumens output (lm):3313lm

 Voltage:
 220V-240V
 CCT: 3000K

 Efficiency:
 82%

Efficacy: 75.30lm/W CRI: 90 Push

### **Notes**

PRODUCT DATA SHEET PRODUCT CODE: 1255W10A

# **Pirce Mini Ceiling LED White 2700K**



IP20 🖺 🐒 🔻 🔞 Dimmerable: + 🕦 –


### **DESIGN BY**

Giuseppe Maurizio Scutellà

## **DESCRIPTION**

Ceiling lamp in painted aluminium. Opening out of a slim disk are fluttering spirals, which fall gently downwards, creating magical effects of form and light.

# **TECHNICAL DRAWINGS**



## **FEATURES**

Article Code:	1255W10A	Material:	Aluminum
Colour:	White	Series:	Design
Installation:	Ceiling		

### **DIMENSIONS**

Height: cm 36 Glow Wire Test: 650

# **INCLUDED SOURCES**

 Category:
 LED
 Color temperature (K):
 2700K

 Number:
 1
 Color Tolerance:
 MacAd

 Number:
 1
 Color Tolerance:
 MacAdam 2SDCM

 Watt:
 44W
 CRI:
 90

Delivered lumens output (lm):3955lm

**Type:** 0 **Class:** A

## **LUMINAIRE**

 Watt:
 44W
 Delivered lumens output (lm):3097lm

 Voltage:
 220V-240V
 CCT:
 2700K

 Efficiency:
 82%

 Efficacy:
 70.39Im/W

 CRI:
 90

 Dimmable Typology:
 Push

## Notes

PRODUCT DATA SHEET PRODUCT CODE: 1255110A

# **Pirce Mini Ceiling LED White 3000K**



IP20 ⊕ ∰ ♥ №
Dimmerable: + •


### **DESIGN BY**

Giuseppe Maurizio Scutellà

## **DESCRIPTION**

Opening out of a slim disk are fluttering spirals, which fall gently downwards, creating magical effects of form and light.

# **TECHNICAL DRAWINGS**



## **FEATURES**

Article Code:1255110AMaterial:AluminumColour:WhiteSeries:DesignInstallation:Ceiling

### **DIMENSIONS**

**Height:** cm 36 **Glow Wire Test:** 650

# **INCLUDED SOURCES**

Category: LED Color temperature (K): 3000K

 Number:
 1
 Color Tolerance:
 MacAdam 2SDCM

 Watt:
 44W
 CRI:
 90

Delivered lumens output (lm):4230lm

## **LUMINAIRE**

 Watt:
 44W
 Delivered lumens output (lm):3313lm

 Voltage:
 220V-240V
 CCT: 3000K

 Efficiency:
 82%

 Efficacy:
 75.30lm/W

 CRI:
 90

 Dimmable Typology:
 Push

## Notes