

PRODUCT



Item no.: 001-0210X
+ style code

DESCRIPTION

Bestlite has been in continuous production since 1930. Robert Dudley Best created Bestlite design. He was highly influenced by the Bauhaus. In the past 80 years, people appreciated the lamps and it decorates many homes, hotels and restaurants worldwide. Loved by architects, designers and design aficionados throughout its 80-year history, today, Bestlite enjoys global iconic status.

VERSION - BESTLITE TABLE LAMP BL2

Shade and base: Black, White or Off-White
Tube and arm: Chrome

RAL codes are indicative.

- Fabric wire - Black:
- Black / White inside // RAL 9004 / RAL 9003 // Gloss level 20 / Gloss level 20
- Fabric wire - Off-White:
- Off-White / White inside // RAL 1015 / RAL 9003 // Gloss level 20 / Gloss level 20
- Fabric wire - White:
- White / White inside // RAL 9003 / RAL 9003 // Gloss level 20 / Gloss level 20


Please contact us for other colours or finishes.

VERSION

Order item - look for part number in the pricelist.

Series contains the following:

BL1, BL2



COLOURS



// Black / Chrome



// Off-White / Chrome



// White / Chrome

FACTS

MEASUREMENT - L X W X H MM

Lamp height: 500 mm
Lamp stand: Ø175 mm
Shade height: 140 mm
Shade diameter: Ø160 mm
Cord - total length w/sw: App. 2500 mm
Cord - exposed out of lamp: App. 2000 mm

WEIGHT ITEM - LAMP INCL. WIRE

2472 g

PACKAGING TYPE

White cardboard box w/ 5ply corrugated

PACKAGING MEASUREMENT - L X W X H CM

L:40 x W:62.5 x H:24.5 cm

WEIGHT PACKAGING - MATERIAL TYPE

- Paper Egg crate: 913,5 g
- PE polybag: 60 g
- Bestlite key: 18 g
- PE polybag: 1 g
- Cardboard outside: 760,5 g
- Cardboard top: 81 g

WEIGHT PACKAGING - TOTAL

4227 g

NUMBER OF PARCELS

1 pcs.

LIGHT SOURCE:

- Socket: E14 base
- Recommended light source: *All fluorescens light bulbs*
- Recommended wattage: 9 W = (40 WATT incandescent bulbs)
- Max wattage: 13 W

- Recommended light source: *Halogen light bulb*
- Recommended wattage: 28 W = (40 WATT incandescent bulbs)
- Max wattage: 28 W

- All lamps can be fitted with a dimmer.
Please contact your local electrician.

- Lightbulb not included

CLEANING AND MAINTENANCE

Use a soft damp cloth when cleaning your Bestlite lamp. Do not use household cleaners.

ACCESSORIES

Item no.: 001-99058A plug EU

ENVIRONMENT

-

TESTS

-

CERTIFICATION AND LABELS

CE-CERTIFIED

STANDARD

STOCK - BL2: Table lamp

- Euro plug: Type C, 2 PIN, 2,5 amp
- Euro voltage: 230 V
- Frequency: 50 Hz
- Supply voltage: AC power ~
- Normally Closed IP20



Class II / Double insulated



CE-Mark



Luminaires accepted for mounting on a flammable base



KOMPONENTS

Item no.: 001-0210X

- 01 // Shade
- 05 // Lamp holder
- 10 // Insulating ring
- 11 // Internal shade ring
- 12 // External shade ring
- 13 // Lamp holder cover
- 15 // Universal joint
- 16 // Bestlite arm
- 19 // Bestlite nut
- 20 // Bestlite bolt
- 22 // Fibre washer
- 23 // Cord grip
- 24 // Cord grip cover
- 32 // Base cover
- 35 // Feltac
- 38 // Textile covered cord
- 40 // Switch
- 58 // Plug

MATERIAL


Shade and base: Powder coated aluminium
Tube and arm: Chromed steel
Textile covered cord

INSTALLATION INSTRUCTIONS

The Bestlite key:

It's a practical tool that enables you to fasten the lamp arm. Simply use it like a screwdriver in the slot in the Bestlite nut.

It is important for positioning that you make a hole in the wall. Do not use directly on your wall for accurate placing of the hole. Measure the hole before you cut.



Technical information:

Light source: E14 40W incandescent or 40W halogen bulb. The lamp is not approved for outdoor use or use in damp/bath rooms.

Some advice on cleaning your Bestlite:

Powder coated parts - base (bracket) and shade: Wash the parts with a sponge (soft) soaked in warm water and a bit of mild detergent.

Cleaning glassed parts:

Wipe the lamp with a damp cloth and allow dry for 24 hours before use. If the surface is white, use a mild glass cleaner available for aluminium or other soft metals.

Do not use soft cloth for rubbing and polishing, never sprays or steel wool.

Do not use abrasive household cleaners.

Do not use acidic or alkaline cleaning methods, glass cleaner or household whitener.



Dear Bestlite customer,

Congratulations on your purchase!






Our lamps are made of powder coated aluminium, which has a long life span. It is important to take care of your lamp. The lamp is not approved for outdoor use or use in damp/bath rooms. Do not use directly on your wall for accurate placing of the hole. Measure the hole before you cut.

Do not use soft cloth for rubbing and polishing, never sprays or steel wool. Do not use abrasive household cleaners. Do not use acidic or alkaline cleaning methods, glass cleaner or household whitener.

Bestlite

BESTLITE
SINCE 1930

BESTLITE - GUBI, (A/S) (A/S) (A/S), 06-2100, Copenhagen, Denmark - www.bestlite.com



Designed by Robert Dudley Best

PRODUCT



Item no.: 001-0213X
+ style code

Don't polish the brass

DESCRIPTION

Bestlite has been in continuous production since 1930. Robert Dudley Best created Bestlite design. He was highly influenced by the Bauhaus. In the past 80 years, people appreciated the lamps and it decorates many homes, hotels and restaurants worldwide. Loved by architects, designers and design aficionados throughout its 80-year history, today, Bestlite enjoys global iconic status.

VERSION - BESTLITE TABLE LAMP BL2

Shade: Charcoalblack, Matt-White or Grey
Tube and arm: Brass with lacquered surface

Shade and base: Brass with lacquered surface
Tube and arm: Brass with lacquered surface

RAL codes are indicative.

- Fabric wire - Black:
- Charcoal black/Brass / White inside // RAL 9011 / RAL 9003 // Gloss level 20 / Gloss level 20
- Grey w/Brass / White inside // RAL 2604005 / RAL 9003 // Gloss level 30 / Gloss level 20
- Brass w/Brass / White inside // - / RAL 9003 // - / Gloss level 20

- Fabric wire - Off-White:
- Matt-White w/Brass / White inside // RAL 9003 / RAL 9003 // Gloss level 20 / Gloss level 20


Please contact us for other colours or finishes.

VERSION

Order item - look for part number in the pricelist.

Series contains the following:

BL1, BL2



COLOURS



// Charcoal black / Brass

// Grey / Brass

// Matt-White / Brass

// All Brass

FACTS

MEASUREMENT - L X W X H MM

Lamp height: 500 mm
Lamp stand: Ø175 mm
Shade height: 140 mm
Shade diameter: Ø160 mm
Cord - total length w/sw: App. 2500 mm
Cord - exposed out of lamp: App. 2000 mm

WEIGHT ITEM - LAMP INCL. WIRE
2472 g

PACKAGING TYPE
White cardboard box w/ 5ply corrugated

PACKAGING MEASUREMENT - L X W X H CM
L:40 x W:62.5 x H:24.5 cm

WEIGHT PACKAGING - MATERIAL TYPE

- Paper Egg crate: 913.5 g
- PE polybag: 60 g
- Bestlite key: 18 g
- PE polybag: 1 g
- Cardboard outside: 760.5 g
- Cardboard top: 81 g

WEIGHT PACKAGING - TOTAL
4227 g

NUMBER OF PARCELS
1 pcs.

LIGHT SOURCE:

- Socket: E14 base
- Recommended light source: *All fluorescens light bulbs*
- Recommended wattage: 9 W = (40 WATT incandescent bulbs)
- Max wattage: 13 W

- Recommended light source: *Halogen light bulb*
- Recommended wattage: 28 W = (40 WATT incandescent bulbs)
- Max wattage: 28 W

- All lamps can be fitted with a dimmer.
Please contact your local electrician.

- Lightbulb not included

Designed by Robert Dudley Best

CLEANING AND MAINTENANCE

Use a soft damp cloth when cleaning your Bestlite lamp. Do not use household cleaners.

ACCESSORIES

Item no.: 001-99058A plug EU

ENVIRONMENT

-

TESTS

-

CERTIFICATION AND LABELS

CE-CERTIFIED

STANDARD

STOCK - BL2: Table lamp

- Euro plug: Type C, 2 PIN, 2,5 amp
- Euro voltage: 230 V
- Frequency: 50 Hz
- Supply voltage: AC power ~
- Normally Closed IP20



Class II / Double insulated



CE-Mark



Luminaires accepted for mounting on a flammable base

KOMPONENTS

Item no.: 001-0213X

- 01 // Shade
- 05 // Lamp holder
- 10 // Insulating ring
- 11 // Internal shade ring
- 12 // External shade ring
- 13 // Lamp holder cover
- 15 // Universal joint
- 16 // Bestlite arm
- 19 // Bestlite nut
- 20 // Bestlite bolt
- 22 // Fibre washer
- 23 // Cord grip
- 24 // Cord grip cover
- 32 // Base cover
- 35 // Feltac
- 38 // Textile covered cord
- 40 // Switch
- 58 // Plug

MATERIAL

Shade and base: Powder coated aluminium
 Tube and arm: Brass with lacquered surface
 Textile covered cord

Shade and base: Brass with lacquered surface
 Tube and arm: Brass with lacquered surface
 Textile covered cord




INSTALLATION INSTRUCTIONS

The Bestlite key:

It's a practical tool that enables you to fasten the lamp arm. Simply use it like a screwdriver in the slot in the Bestlite nut.

1. Handle the product carefully and avoid sharp edges on your work surface. Handle the lamp as shown in the illustration below.



Technical information:

Light source: E14, E27, MR16 (max. 35W) or MR16 (max. 50W).
 Max. power of lamp: 35W (E14) or 50W (E27).
 The lamp is not approved for outdoor use or use in damp/wet rooms.

Some advice on cleaning your Bestlite:

Flammable coated parts - base, lampshade and shade:
 Wipe the parts with a damp cloth. Avoid in some cases point a lot of mild detergent.

Chrome plated parts:

Wipe the parts with a damp cloth and avoid dry to bring up scale.
 If the surface is dirty use a neutral pH mild detergent for cleaning or other soft wash.

Use only soft cloth for wiping and polishing. Never use paper or hard wood.
 Do not use abrasive household cleaners.
 Do not use acids or alkaline cleaning products, glass cleaner or household ammonia.



BESTLITE
 SINCE 1929

BESTLITE - GUBI (A/S) // Søndergade 7-9, DK-2108, Copenhagen, Denmark // www.bestlite.com

