

Designed by Luis Weisdorf

PRODUCT



COLORS



// Matt White

Item no.:

007-02105

DESCRIPTION

The Turbo Pendant designed by Luis Weisdorf is made of 12 equal aluminium slats, spirally twisted and mounted together, to give the spherical shape of a round ball. All the surfaces are powdercoated in matt white. The fabric wire and the canopy is always matt white. As an alternative to the canopy a ceiling hook is enclosed in the package. The pendant comes in 2 sizes Ø360 mm and Ø620 mm

VERSION - RONDE PENDANT

- Fabric wire and canopy - white:
- Matt White / White inside // RAL 9003 / RAL 9003 // Gloss level 10 / Gloss level 10

VERSION - RONDE PENDANT

Order item - look for part number in the pricelist.

Series contains the following:

- TURBO PENDANT Ø360**
- TURBO PENDANT Ø620**

FACTS

MEASUREMENT - *L x W x H mm*

- Lamp height: 620 mm
- Lamp bottom diameter: Ø150 mm
- Lamp top diameter: Ø150 mm
- Lamp middle diameter: Ø620 mm
- Wire length, exposed: Approx. 3800 mm
- Wire length, total: Approx. 4000 mm

WEIGHT ITEM - *LAMP INCL. WIRE*

4815 g

PACKAGING TYPE

Cardboard box

PACKAGING MEASUREMENT - *L x W x H cm*

L: 67 x W: 65 x H: 68 cm

WEIGHT PACKAGING - *MATERIAL TYPE (recycleable)*

- Polystyrene: 230 g
- EPE sheet: 61 g
- PE polybag: 3 g
- Cardboard inside: 756 g
- Cardboard outside: 2535 g

WEIGHT PACKAGING - *TOTAL*

3590 g

NUMBER OF PARCELS

1 pcs.

Designed by Luis Weisdorf

ACCESSORIES

- Lamp mounting component: rawplug
- Lamp mounting component: Ceiling hook

ENVIRONMENT

-

TESTS

-

CERTIFICATION AND LABELS

CE-certified

SAFETY INSTRUCTIONS

If the cord or other electrical part is damaged, switch of the lamp and do not use it until it is repaired by a qualified electrician.

Bulb requirements*:

- Socket: E27 base
- Recommended light source - All fluorescens light bulbs:
 - Recommended wattage: 15 W
 - Max. wattage: 20 W
- Recommended light source - Halogen light bulbs:
 - Recommended wattage: 57 W
 - Max. wattage: 70 W

**Lightbulb not included*

**Euro voltage: 230 V*

**Frequency: 50 Hz*

**Supply voltage: AC power ~*

**Normally Closed: IP20*



Class II / Double insulated



CE-Mark



Luminaires accepted for mounting on a flammable base

Designed by Luis Weisdorf

PRODUCT



COLORS



// Matt White

Item no.:

007-01105

DESCRIPTION

The Turbo Pendant designed by Luis Weisdorf is made of 12 equal aluminium slats, spirally twisted and mounted together, to give the spherical shape of a round ball. All the surfaces are powdercoated in matt white. The fabric wire and the canopy is always matt white. As an alternative to the canopy a ceiling hook is enclosed in the package. The pendant comes in 2 sizes Ø360 mm and Ø620 mm

VERSION - TURBO PENDANT

- Fabric wire and canopy - white:
- Matt White / White inside // RAL 9003 / RAL 9003 // Gloss level 10 / Gloss level 10

VERSION - TURBO PENDANT

Order item - look for part number in the pricelist.

Series contains the following:

- TURBO PENDANT Ø360**
- TURBO PENDANT Ø620**

FACTS

MEASUREMENT - *L x W x H mm*

- Lamp height: 360 mm
- Lamp bottom diameter: Ø100 mm
- Lamp top diameter: Ø100 mm
- Lamp middle diameter: Ø360 mm
- Wire length, exposed: Approx. 3800 mm
- Wire length, total: Approx. 4000 mm

WEIGHT ITEM - *LAMP INCL. WIRE*

1845 g

PACKAGING TYPE

Cardboard box

PACKAGING MEASUREMENT - *L x W x H cm*

L: 41 x W: 41 x H: 41 cm

WEIGHT PACKAGING - *MATERIAL TYPE (recycleable)*

- Polystyrene: 33 g
- EPE sheet: 19 g
- PE polybag: 3 g
- Cardboard inside: 266 g
- Cardboard outside: 773 g

WEIGHT PACKAGING - *TOTAL*

1070 g

NUMBER OF PARCELS

1 pcs.

Designed by Luis Weisdorf

ACCESSORIES

-

ENVIRONMENT

-

TESTS

-

CERTIFICATION AND LABELS

CE-certified

SAFETY INSTRUCTIONS

If the cord or other electrical part is damaged, switch of the lamp and do not use it until it is repaired by a qualified electrician.

Bulb requirements:

- Socket: E27 base
- Recommended light source - All fluorescens light bulbs:
 - Recommended wattage: 15 W
 - Max. wattage: 20 W
- Recommended light source - Halogen light bulbs:
 - Recommended wattage: 57 W
 - Max. wattage: 70 W

**Lightbulb not included*

**Euro voltage: 230 V*

**Frequency: 50 Hz*

**Supply voltage: AC power ~*

**Normally Closed: IP20*



Class II / Double insulated



CE-Mark



Luminaires accepted for mounting on a flammable base