Artemide

PRODUCT DATA SHEET

Edge 21 - Wall/Ceiling



DESIGN BY:

Alessandro Mendini 2004


MATERIALS:

Technopolymer

DESCRIPTION:

Wall support in thermoplastic resin; diffuser in thermoplastic material. Ability to mount LED light source E27 (LED light source not included).

The IP 65 degree of protection makes it also suitable for outdoor application.



Light emission





Dimmable

TECHNICAL DATA SHEET

FEATURES

Product name:

Edge 21 -

Article Code:

Wall/Ceiling 1292010A

Colour:

White

Material: Series:

Technopolymer Design

Environment:

Indoor

Area contract:

Hospitality Hotel


OPTICS

Emission: Diffused

DIMENSIONS

Width: cm 35 Height: cm 32 Impact Resistance: N/D Glow Wire Test: 750°C

DIMENSIONS



COLOUR



LAMPS NOT INCLUDED

FLUO Category: Number: Watt: 20W Socket: E27 Type: Fb Colour Rendering: 1b Colour temperature (K): 3000K

ALTERNATIVE LAMPS


LED Category: Watt: 8W F27 Socket: Class: Α

LUMINAIR


Watt: 20W Voltage: 220V-240V Luminous Flux (Im): 1200lm CCT: 2700K

DIAGRAMS

Polar curve



Cartesian diagram



Artemide

PRODUCT DATA SHEET

Edge 30 - Wall/Ceiling



DESIGN BY:

Alessandro Mendini 2004


MATERIALS:

Technopolymer

DESCRIPTION:

Wall support in thermoplastic resin; diffuser in thermoplastic material. Ability to mount LED light source E27 (LED light source not included).

The IP 65 degree of protection makes it also suitable for outdoor application.



Light emission





Dimmable

TECHNICAL DATA SHEET

FEATURES

Product name: Edge 30 - Wall/Ceiling

Article Code: 1293010A
Colour: White
Material: Technopolymer
Series: Design
Environment: Indoor

Area contract: Hospitality Hotel, Private

Residence


OPTICS

Emission: Diffused

DIMENSIONS

 $\begin{tabular}{llll} Width: & cm 4.8 \\ Height: & cm 4.3 \\ Impact Resistance: & N/D \\ Glow Wire Test: & 750 °C \\ \end{tabular}$

DIMENSIONS



COLOUR



LAMPS NOT INCLUDED

Category: FLUO
Number: 1
Lbs: Tc-tse
Watt: 23W
Socket: E27
Type: Fb
Luminous Flux (Im): 1500Im
Colour Rendering: 1b
Colour temperature (K): 2700K

ALTERNATIVE LAMPS

LED

 Category:
 LED

 Watt:
 8W

 Socket:
 E27

 Class:
 A

LUMINAIR


 Watt:
 23W

 Voltage:
 220V-240V

 Luminous Flux (Im):
 1500Im

DIAGRAMS

Polar curve



Cartesian diagram

