moooi

Pet Light

MARCEL WANDERS



Uhuh, Purr, Noot Noot, & Grwoww are a series of table lamps by Marcel Wanders. Each pet has its very own personality and characteristics, but they're all rounded, endearing and elegant. The Pet Lights find their place in any kind of interior and space. With frosted glass bodies and heads decorated with touches of ceramic gold, they emit a heart-warming glow you can dim to match the hour of the day. Choose your favourite character, penguin, rabbit, tiger and an owl, and enjoy a glowing pet with heaps of charm!

Detailing



Gold plated ceramic features bring the animals to life, accessorizing them with precious jewels that complement their snowy bodies.

Colours

Matt white with golden elements

Pet Light / Grwoww

Dimensions

23cm | 9.1"



24cm | 9.5"







Product

WIDTH 23cm | 9.1" **неіGHT** 17cm | 6.7" **DEPTH** 24cm | 9.4"

WEIGHT NETTO 1.3kg | 2.87lbs

Packaging

widtн 29.7cm | 11.7" **неіднт** 39.7cm | 15.6" **CUBAGE** $0.04 \text{m}^3 \mid 1.25 \text{ft}^3$ **LENGTH** 30cm | 11.8"

WEIGHT 3kg | 6.61lbs

Technical CE

MATERIAL

Hand blown glass, gilded porcelain elements and base

ENERGY LABEL

LIGHTSOURCE INCLUDED

Yes

INPUT VOLTAGE 220-240V

MAX POWER CONSUMPTION

4W

RECOMMENDED LIGHTSOURCE

LED only

CABLE COLOUR

Transparent with tinned cores

CABLE LENGTH

250cm | 98.4"

COLOUR TEMPERATURE

2700 K

LIGHT DIRECTION All directions

DIMMING & LIGHTING CONTROL

Dimmer on power cord

See last page for more information about the dimming possibilities.

LIGHTSOURCE TYPE

LED

NUMBER OF LIGHTSOURCES

FREQUENCY 50/60

LAMPHOLDER

G9

LIFETIME 50000 hours

PLUG TYPE

Europlug (Type-C)

SWITCH

In line push button dimmer switch

CRI 80

MATERIAL

Hand blown glass, gilded porcelain elements and base

ENERGY LABEL

A

LIGHTSOURCE INCLUDED

Yes

INPUT VOLTAGE 100-130V

MAX POWER CONSUMPTION

4W

RECOMMENDED LIGHTSOURCE

LED only

CABLE COLOUR

Transparent with tinned cores

CABLE LENGTH

250cm | 98.4"

LIGHT DIRECTION

COLOUR TEMPERATURE

2700 K

All directions

DIMMING & LIGHTING CONTROL

Dimmer on power cord

See last page for more information about the dimming possibilities.

LIGHTSOURCE TYPE

LED

NUMBER OF LIGHTSOURCES

1

FREQUENCY 50/60

LAMPHOLDER

G9

LIFETIME

50000 hours

PLUG TYPE

US plug (Type A)

SWITCH

In line push button dimmer switch

CRI 80

Pet Light / Noot Noot (Penguin)

Dimensions

18cm | 7.1"
—
—
—
—
20cm | 7.9"





Product

width 18cm | 7.1" неіднт 33cm | 13" дертн 20cm | 7.9"

WEIGHT NETTO 1.5kg | 3.31lbs

Packaging

width $31 \text{cm} \mid 12.2"$ Height $31.5 \text{cm} \mid 12.4"$ Cubage $0.04 \text{m}^3 \mid 1.41 \text{ft}^3$ Length $41 \text{cm} \mid 16.1"$

WEIGHT 3kg | 6.61lbs

Technical CE

MATERIAL

Hand blown glass, gilded porcelain elements and base

ENERGY LABEL

Α

LIGHTSOURCE INCLUDED

Yes

INPUT VOLTAGE

MAX POWER CONSUMPTION

4W

RECOMMENDED LIGHTSOURCE

LED only

CABLE COLOUR

Transparent with tinned cores

CABLE LENGTH

250cm | 98.4"

COLOUR TEMPERATURE

2700 K

All directions

DIMMING & LIGHTING CONTROL

Dimmer on power cord

See last page for more information about the dimming possibilities.

LIGHTSOURCE TYPE

LED

NUMBER OF LIGHTSOURCES

FREQUENCY 50/60

LAMPHOLDER

G9

LIFETIME 50000 hours

PLUG TYPE

Europlug (Type-C)

SWITCH

In line push button dimmer switch

CRI 80

MATERIAL

Hand blown glass, gilded porcelain elements and base

ENERGY LABEL

A

LIGHTSOURCE INCLUDED

Yes

INPUT VOLTAGE 100-130V

MAX POWER CONSUMPTION

4W

RECOMMENDED LIGHTSOURCE

LED only

CABLE COLOUR

Transparent with tinned cores

CABLE LENGTH

250cm | 98.4"

LIGHT DIRECTION

COLOUR TEMPERATURE

2700 K

All directions

DIMMING & LIGHTING CONTROL

Dimmer on power cord

See last page for more information about the dimming possibilities.

LIGHTSOURCE TYPE

LED

NUMBER OF LIGHTSOURCES

1

FREQUENCY 50/60

LAMPHOLDER

G9

LIFETIME

50000 hours

PLUG TYPE

US plug (Type A)

SWITCH

In line push button dimmer switch

CRI 80

Pet Light / Purr (rabbit)

Dimensions

21cm | 8.3"



21cm | 8.3"



Product

WIDTH 21cm | 8.3" **HEIGHT** 27cm | 10.6" **DEPTH** 25cm | 9.8"

WEIGHT NETTO 1.5kg | 3.31lbs

Packaging

width $31 \text{cm} \mid 12.2$ "
HEIGHT $31.5 \text{cm} \mid 12.4$ "
CUBAGE $0.04 \text{m}^3 \mid 1.41 \text{ft}^3$ LENGTH $41 \text{cm} \mid 16.1$ "

WEIGHT 3kg | 6.61lbs

Technical CE

MATERIAL

Hand blown glass, gilded porcelain elements and base

ENERGY LABEL

Α

LIGHTSOURCE INCLUDED

Yes

INPUT VOLTAGE 220-240V

MAX POWER CONSUMPTION

4W

RECOMMENDED LIGHTSOURCE

LED only

CABLE COLOUR

Transparent with tinned cores

CABLE LENGTH

250cm | 98.4"

COLOUR TEMPERATURE

2700 K

All directions

DIMMING & LIGHTING CONTROL

Dimmer on power cord

See last page for more information about the dimming possibilities.

LIGHTSOURCE TYPE

LED

NUMBER OF LIGHTSOURCES

-

FREQUENCY 50/60

LAMPHOLDER

G9

LIFETIME 50000 hours

PLUG TYPE

Europlug (Type-C)

SWITCH

In line push button dimmer switch

CRI 80

MATERIAL

Hand blown glass, gilded porcelain elements and base

ENERGY LABEL

A

LIGHTSOURCE INCLUDED

Yes

INPUT VOLTAGE 100-130V

MAX POWER CONSUMPTION

4W

RECOMMENDED LIGHTSOURCE

LED only

CABLE COLOUR

Transparent with tinned cores

CABLE LENGTH

250cm | 98.4"

LIGHT DIRECTION

COLOUR TEMPERATURE

2700 K

All directions

DIMMING & LIGHTING CONTROL

Dimmer on power cord

See last page for more information about the dimming possibilities.

LIGHTSOURCE TYPE

LED

NUMBER OF LIGHTSOURCES

1

FREQUENCY 50/60

LAMPHOLDER

G9

LIFETIME

50000 hours

PLUG TYPE

US plug (Type A)

SWITCH

In line push button dimmer switch

CRI 80

Pet Light / Uhuh (owl)

Dimensions

23cm | 9.1"



lcm | 8.3" |-- 24cm | 9.5"



Product

WIDTH 23cm | 9.1" **HEIGHT** 21cm | 8.3" **DEPTH** 24cm | 9.4"

WEIGHT NETTO 1.5kg | 3.31lbs

Packaging

width $31cm \mid 12.2"$ Height $31.5cm \mid 12.4"$ Cubage $0.04m^3 \mid 1.41ft^3$ Length $41cm \mid 16.1"$

weight 3kg | 6.61lbs

Technical CE

MATERIAL

Hand blown glass, gilded porcelain elements and base

ENERGY LABEL

Α

LIGHTSOURCE INCLUDED

Yes

INPUT VOLTAGE 220-240V

MAX POWER CONSUMPTION

4W

RECOMMENDED LIGHTSOURCE

LED only

CABLE COLOUR

Transparent with tinned cores

CABLE LENGTH

250cm | 98.4"

COLOUR TEMPERATURE

2700 K

All directions

DIMMING & LIGHTING CONTROL

Dimmer on power cord

See last page for more information about the dimming possibilities.

LIGHTSOURCE TYPE

LED

NUMBER OF LIGHTSOURCES

FREQUENCY 50/60

LAMPHOLDER

G9

LIFETIME 50000 hours

PLUG TYPE

Europlug (Type-C)

SWITCH

In line push button dimmer switch

CRI 80

MATERIAL

Hand blown glass, gilded porcelain elements and base

ENERGY LABEL

A

LIGHTSOURCE INCLUDED

Yes

INPUT VOLTAGE 100-130V

MAX POWER CONSUMPTION

4W

RECOMMENDED LIGHTSOURCE

LED only

CABLE COLOUR

Transparent with tinned cores

CABLE LENGTH

250cm | 98.4"

LIGHT DIRECTION

COLOUR TEMPERATURE

2700 K

All directions

DIMMING & LIGHTING CONTROL

Dimmer on power cord

See last page for more information about the dimming possibilities.

LIGHTSOURCE TYPE

LED

NUMBER OF LIGHTSOURCES

1

FREQUENCY 50/60

LAMPHOLDER

G9

LIFETIME

50000 hours

PLUG TYPE

US plug (Type A)

SWITCH

In line push button dimmer switch

CRI 80

Dimming & Lighting Control

Dimmer on power cord

Compatible models: Grwow (Tiger) CE, Grwow (Tiger) CU, Noot Noot (Penguin) CE, Noot Noot (Penguin) CU, Purr (rabbit) CE, Purr (rabbit) CU, Uhuh (owl) CE, Uhuh (owl) CU