Artemide

PRODUCT DATA SHEET

Tolomeo Wall LED 3000K

DESIGN BY:

Michele De Lucchi , Giancarlo Fassina
2010

MATERIALS:

Aluminium

DESCRIPTION:

Cantilevered arms in polished aluminium; diffuser in matt anodised or polished alumi-nium; joints and wall support in polished aluminium. System of spring balancing. The code refers to the luminaire's body only

Led - with dimmer.

Light emission

IP20

+◑−

TECHNICAL DATA SHEET

FEATURES

Product name:	Tolomeo Wall LED 3000K
Article Code:	A004800
Colour:	Aluminium
Material:	Aluminium
Series:	Design

DIMENSIONS

Length:	cm 81
Height:	cm 67
Max Extension Height:	cm 131
Max Extension Length:	cm 126
Glow Wire Test:	750 °

LAMPS INCLUDED

Category:	LED COB
Number:	1
Watt:	10W
Color temperature (K):	3000K
Class:	A

LUMINAIR

|	
Watt:	10W
Voltage:	220V-240V
Luminous Flux (lm):	593lm
CCT:	3000K
Efficiency:	70%
Efficacy:	59lm/W
CRI:	90
Dimmer Typology:	Microswitch Dimmer

DIMENSIONS

1310 mm

670 mm

810 mm

1260 mm

COLOUR

ACCESSORIES

**TOLOMEO SUPPORTO
PARETE NEW A025150**

Artemide

PRODUCT DATA SHEET

Tolomeo Wall - Aluminium

DESIGN BY:

Michele De Lucchi , Giancarlo Fassina
1987

MATERIALS:

Aluminium

DESCRIPTION:

Cantilevered arms in polished aluminium; diffuser in matt anodised aluminium; joints and wall support in polished aluminium. System of spring balancing. The code refers to the luminaire's body only

Possibility to mount LED source on E27 Socket

Light emission

IP20 □ ≪⁵ ▽ P⅁ ℂℂℂ

TECHNICAL DATA SHEET

FEATURES

Product name:	Tolomeo Wall - Aluminium
Article Code:	A001000
Colour:	Aluminium
Material:	Aluminium
Series:	Design

DIMENSIONS

Length:	cm 81
Height:	cm 67
Max Extension Height:	cm 131
Max Extension Length:	cm 126

LAMPS NOT INCLUDED

Category:	HALO
Number:	1
Lbs:	Qa60
Watt:	77W
Socket:	E27
Type:	Hsgsa/c/ub
Colour Rendering:	1a
Colour temperature (K):	2900K
Duration (h):	2000h

ALTERNATIVE LAMPS

LED retrofit

Category:	LED
Watt:	8W
Luminous Flux (lm):	1000lm
Socket:	E27
Class:	A

LUMINAIR

Watt:	77W
Voltage:	220V-240V

DIMENSIONS

1310 mm

670 mm

810 mm

1260 mm

COLOUR

**TOLOMEO SUPPORTO
PARETE NEW A025150**

Artemide

PRODUCT DATA SHEET

Tolomeo Wall LED 2700K

DESIGN BY:

Michele De Lucchi , Giancarlo Fassina
2010

MATERIALS:

Aluminium

DESCRIPTION:

Cantilevered arms in polished aluminium; diffuser in matt anodised or polished alumi-nium; joints and wall support in polished aluminium. System of spring balancing. The code refers to the luminaire's body only

Led - with dimmer.

Light emission

IP20   15   🔆

+ ◐ −

TECHNICAL DATA SHEET

FEATURES

Product name:	Tolomeo Wall LED 2700K
Article Code:	A0048W00
Colour:	Aluminium
Material:	Aluminium
Series:	Design

DIMENSIONS

Length:	cm 81
Height:	cm 67
Max Extension Height:	cm 131
Max Extension Length:	cm 126

LAMPS INCLUDED

Category:	LED COB
Number:	1
Watt:	10W
Color temperature (K):	2700K
Class:	A

LUMINAIR

Watt:	10W
Voltage:	220V-240V
Luminous Flux (lm):	593lm
CCT:	2700K
Efficiency:	70%
Efficacy:	59lm/W
CRI:	90
Dimmer Typology:	Microswitch Dimmer

DIMENSIONS

1310 mm

670 mm

810 mm

1260 mm

COLOUR

ACCESSORIES

**TOLOMEO SUPPORTO
PARETE NEW A025150**